

# SAFETY DATA SHEET StripPro

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: StripPro

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of

Cleaning product

the substance or mixture:

Uses advised against: None known.

### 1.3. Details of the supplier of the safety data sheet

Company and address: Drake Chemicals AS

Vollvegen 40 4354 Voll Norway +47 350 50 500

www.drakechemicals.no

E-mail: post@drakechemicals.no

Revision: 08/02/2023

SDS Version: 1.0

# 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Skin Corr. 1A; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

### 2.2. Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): Causes severe skin burns and eye damage. (H314)

Safety statement(s):

General: -

Prevention: Do not breathe vapour/mist. (P260)

Wear face protection/protective gloves/protective clothing. (P280)

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)

 $IF\ ON\ SKIN\ (or\ hair): Take\ off\ immediately\ all\ contaminated\ clothing.\ Rinse\ skin\ with\ water\ .$ 

(P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310)

Storage: -

Dispose of contents/container in accordance with local regulation. (P501)

Hazardous substances: sodium hydroxide;caustic soda

Hexyl D-glucoside

Alcohols, C9-11, ethoxylated

Additional labelling: Not applicable.

### 2.3. Other hazards

Contaminated areas may be slippery.

Additional warnings: This mixture/product does not contain any substances considered to meet the criteria

classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605.



# **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substances**

Not applicable. This product is a mixture.

#### 3.2. **Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
sodium hydroxide;caustic soda	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6	10 - 25%	Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Corr. 1A, H314 Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Dam. 1, H318 (SCL: 2.00 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
Hexyl D-glucoside	CAS No.: 54549-24-5 EC No.: 259-217-6 UK-REACH: Index No.:	1 - 5 %	Eye Dam. 1, H318	
Alcohols, C9-11, ethoxylated CAS No.: 68439-46-3 EC No.: 614-482-0 UK-REACH: Index No.:		1 - 5 %	Skin Irrit. 2, H315 Eye Dam. 1, H318	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

### **SECTION 4: First aid measures**

#### 4.1. **Description of first aid measures**

General information: In the case of accident: Contact a doctor or casualty department - take the label or this safety

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist.

Never give an unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air

and stay with him/her.

Skin contact: Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to

flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison

Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water Eye contact:

(20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing

during transport.

Ingestion: In the case of ingestion, contact a doctor immediately. If the person is conscious, give them

water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If

unconscious, roll the injured person into recovery position. Call an ambulance.

Burns: Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Inhalation of vapors may cause irritation of the respiratory system.

Ingestion may cause burns to the gastrointestinal system.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics: Bring this safety data sheet or the label from this product.



# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Some metal oxides

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: 2X

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage

Storage temperature:

material:

Always store in containers of the same material as the original container.

Store in tightly closed original container in a dry, cool and well-ventilated place.

Protect from frost.

Keep out of reach from children.

Incompatible materials: Acid:

Oxidizing material

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

sodium hydroxide; caustic soda

Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

# DNEL



Hexyl D-glucoside					
Duration:	Route of exposure:	DNEL:			
Long term – Systemic effects - General population	Dermal	357000 mg/kg bw/day			
Long term – Systemic effects - Workers	Dermal	595000 mg/kg bw/day			
Long term – Systemic effects - General population	Inhalation	124 mg/m³			
Long term – Systemic effects - Workers	Inhalation	420 mg/m³			
Long term – Systemic effects - General population	Oral	35.7 mg/kg bw/day			

# **PNEC**

Hexyl D-glucoside

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		176 μg/L
Freshwater sediment		722 μg/kg
Intermittent release (freshwater)		4.2 mg/L
Marine water		17.6 μg/L
Marine water sediment		72.2 μg/kg
Predators		111.11 mg/kg
Sewage treatment plant		100 mg/L
Soil		654 μg/kg

# 8.2. Exposure controls

 $\label{lem:compliance} Compliance with the given occupational exposure limits values should be controlled on a regular basis.$ 

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum concentrations for occupational

exposure. See occupational hygiene limit values above.

Appropriate technical

Hygiene measures:

measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

In between use of the product and at the end of the working day all exposed areas of the body

must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid

environmental exposure:

Keep damming materials near the workplace. If possible, collect spillage during work.

# 8.3. Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Work situation	Туре	Class	Colour	Standards	
	No special when used as intended.				
In case of inadequate ventilation	Combination filter A2P2	Class 2	Brown/White	EN14387	(D)

# Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Latex/Neoprene	0,68	> 480	EN374-2, EN374-3, EN388, EN421	

Eye protection:

StripPro Page 4 of 10



Туре	Standards	
Face shield alternatively safety glasses with side shields.	EN166	

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Yellow, White Colour:

Odour / Odour threshold: Fruity :Ha ~14 1.3 Density (g/cm³):

Testing not relevant or not possible due to the nature of the product. Kinematic viscosity:

Particle characteristics: Not applicable - product is a liquid

**Phase changes** 

Melting point/Freezing

point (°C):

~-5

Softening point/range

(waxes and pastes) (°C):

Does not apply to liquids.

Boiling point (°C):

Vapour pressure: Testing not relevant or not possible due to the nature of the product. Relative vapour density: Testing not relevant or not possible due to the nature of the product. Testing not relevant or not possible due to the nature of the product. Decomposition

temperature (°C):

### Data on fire and explosion hazards

Flash point (°C): Testing not relevant or not possible due to the nature of the product. Ignition (°C): Testing not relevant or not possible due to the nature of the product. Auto flammability (°C): Not applicable

limit (% v/v):

Lower and upper explosion Testing not relevant or not possible due to the nature of the product.

### Solubility

Solubility in water: Soluble

n-octanol/water coefficient: Testing not relevant or not possible due to the nature of the product. Solubility in fat (q/L): Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information

Other physical and chemical No data available.

parameters:

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition produces corrosive vapours.

#### 10.2. **Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### Possibility of hazardous reactions 10.3.

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. **Incompatible materials**

Acids

Oxidizing material

#### 10.6. **Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

# **SECTION 11: Toxicological information**

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK

**Acute toxicity** 

Product/substance

sodium hydroxide; caustic soda

Test method:

Species: Rabbit Route of exposure: Dermal Test: LC50 Result: 1350 mg/kg

Other information:

Product/substance

Hexyl D-glucoside Test method: Species:

Rat Route of exposure: Oral Test: LD50 Result: 2000 mg/kg

Other information:

Product/substance

Test method: Species:

Rabbit Route of exposure: Dermal LD50 Test: Result: 2000 mg/kg

Other information:

Product/substance

Alcohols, C9-11, ethoxylated

Hexyl D-glucoside

Test method: Species:

Rat Route of exposure: Oral LD50 Test: Result: 1378 mg/kg

Other information:

Product/substance

Alcohols, C9-11, ethoxylated

Test method:

Species: Rabbit Route of exposure: Dermal LD50 Test: Result: > 2000 mg/kg

Other information:

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

# Serious eye damage/irritation

Causes serious eye damage.

# **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

# Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

# Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may



produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Inhalation of vapors may cause irritation of the respiratory system.

Ingestion may cause burns to the gastrointestinal system.

# **Endocrine disrupting properties**

None of the components in section 3.2 are listed on ECHAs Endocrine disruptor assessment list.

### Other information

None known.

# **SECTION 12: Ecological information**

12.1. **Toxicity** 

> Product/substance Test method:

sodium hydroxide; caustic soda

Species: Duration:

Test:

Result:

Fish, Oncorhynchus mykiss

Compartment:

96 hours LC50 45.4 mg/L

Other information:

Product/substance

sodium hydroxide;caustic soda

Test method: Species:

Daphnia, Daphnia magna

Compartment:

Duration: 48 hours EC50 Test: 30 mg/L Result:

Other information:

Product/substance

Hexyl D-glucoside

Test method:

Species: Fish

Compartment:

Duration: 96 hours Test: > 100 mg/L Result:

Other information:

Product/substance Test method:

Species:

Daphnia, Daphnia magna

Hexyl D-glucoside

Compartment: 48 hours Duration: Test: EC50 Result: > 100 mg/L

Other information:

Product/substance

Hexyl D-glucoside

Test method:

Species:

Algae

Compartment:

Duration:

Test:

72 hours EC50 > 100 mg/L

Result: Other information:

#### 12.2. Persistence and degradability

No data available.

#### 12.3. **Bioaccumulative potential**

Product/substance

Test method:

sodium hydroxide;caustic soda

Potential bioaccumulation:

No data available. < 0

LogPow: BCF:

Other information:

No data available.

Product/substance

Alcohols, C9-11, ethoxylated

Test method: Potential bioaccumulation:

No data available.

LogPow:

4,49



BCF: 56,23

Other information:

## 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. Endocrine disrupting properties

None of the components in section 3.2 are listed on ECHAs Endocrine disruptor assessment list.

### 12.7. Other adverse effects

None known.

# **SECTION 13: Disposal considerations**

### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### **EWC** code

07 06 01\* Aqueous washing liquids and mother liquors

20 01 15\* Alkalines

### Specific labelling

Not applicable.

# **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

# SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide;caustic soda)	Class: 8 Labels: 8 Classification code: C9	I	No	Limited quantities: 0 Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide;caustic soda)	Class: 8 Labels: 8 Classification code: C9	I	No	Limited quantities: 0 EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide;caustic soda)	Class: 8 Labels: 8 Classification code: C9	I	No	See below for additional information.

<sup>\*</sup> Packing group

# **Additional information**

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport. IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport. This product is within scope of the regulations of transport of dangerous goods.

. Hazchem Code: 2X

### 14.6. Special precautions for user

Not applicable.

<sup>\*\*</sup> Environmental hazards



# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific

education:

No specific requirements.

SEVESO - Categories /

Not applicable.

dangerous substances: Additional information:

Not applicable.

Sources:

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK

law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and

mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

### **SECTION 16: Other information**

### Full text of H-phrases as mentioned in section 3

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials



VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

# **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# The safety data sheet is validated by

EcoOnline, Regulatory affairs

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en